

POM LEMEZEK / POM SHEETS,

DOCACETAL C, DOCACETAL C TF

Vastagság / Thickness mm	Vastagság tűrései / Tolerances on thickness (1) mm		Tömeg / Weight (2) kg/m ² kg/m ²			
			DOCACETAL C		DOCACETAL C TF	
			440 011		446 011	
			Lemez méret / Size of sheet (3): 1000 x 2000 mm			
			natúr / natural	fekete / black	natúr / natural	
0,5	- 0,02	+ 0,08	0,75	*0,75		
0,6	- 0,05	+ 0,10	*0,90	*0,90		
0,8			1,20	*1,20		
1,0	- 0,10	+ 0,10	1,50	*1,50	*1,59	
1,2			*1,79	*1,79	*1,92	
1,5	- 0,15	+ 0,15	2,24	*2,24	*2,40	
2,0			2,99	*2,99	*3,19	
2,5			3,74	*3,74	*3,99	
3,0			4,49	*4,49	*4,79	
4,0	- 0,20	+ 0,20	5,98	*5,98	*6,39	
5,0			7,48	*7,48	*7,98	
6,0	- 0,25	+ 0,25	8,97	*8,97	*9,12	
8,0			13,01	*13,01		
	+ 0,20	+ 0,90	440 001			
10,0			16,00	16,00		
12,0	+ 0,30	+ 1,50	19,29	*19,29		
15,0				23,21		
16,0			24,67	24,67		
20,0			30,51	30,51		
25,0			37,81	37,81		
30,0	+ 0,50	+ 2,50	45,99	45,99		
40,0			60,58	60,58		
50,0			75,91	75,91		
60,0	+ 0,70	+ 3,00	91,97	91,97		
80,0			120,80	120,80		
100,0			150,00	150,00		
A DOCACETAL C lemezek 16 – 100 mm vastagság között 500 mm széles lemez méretben is rendelhetők / DOCACETAL C sheets between 16 -100 mm thickness can be ordered in 500 mm width						
			Lemez méret / Size of sheet (3): 1250 x 2500 mm			
16,0	+ 0,30	+ 1,50	24,67	24,67		
20,0			30,51	30,51		
25,0			37,81	37,81		
30,0	+ 0,50	+ 2,50	45,99	45,99		
40,0			60,58	60,58		
50,0			75,91	75,91		
60,0	+ 0,70	+ 3,00	*91,97	*91,97		

(1): Tűrések DIN EN 1549:1994 szerint / Tolerances according to DIN EN 1549:1994

(2): Átlagos gyártási tömeg / Average product weight

(3): Szélesség- és hosszútűrés: 0 +3% / Tolerances on width and length: 0 +3%

■: Termékkód / Product code

* : Csak rendelésre / Only for order